Friday, 10/5/2007 10:58:52 AM

User:

Kim Johnston

Process Sheet

Drawing Name

Part Number -

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 35036

Estimate Number

: 11082

P.O. Number This Issue

Prsht Rev.

First Issue

: NA : 10/5/2007

S.O. No. : NA

: NC

: NA

: MACHINED PARTS Type

: 32303

Previous Run Written By

Checked & Approved By Comment

: Est Rev:E ecn826 Est Rev:F

05-11-29 JLM 06.12.06 ec

Re-Format

Material **Due Date** : INNER AFT SADDLE

: D5957

 D5957 REVB : N/A

: 10/22/2007

Qty:

8 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: 7075-T7351 8.25X7.75X2.5

8.0000 Each(s)

1.0

2.0

D6101007

Total:

Comment: Qty.: 1.0000 Each(s)/Unit D6101-007(7075-T7351)

Size 2.50" x 7.50" X 8.25" (Grain along 7.50")

Batch: 53/389

HAAS3

HAAS CNC VERTICAL MACHINING #3

Comment: HAAS CNC VERTICAL MACHINING #3


1-Machine as per folio D5957, Ensure Batch Number is entered

2-Machine Keyway

3-Deburr & Tumble

QC1

INSPECT ALL DIM TO DIM SHEET



(8)

(8-)

3.0



Comment: INSPECT ALL DIM TO DIM SHEET

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK


5.0

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1





Dart Aerospace Ltd

D u. () (0	·oopaoc						
W/O:		WORK ORDER (CHANGES	····	···		
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	.						
				÷		<u> </u>	7).
							
Part No	:	PAR #: Fault Category:	NCR: Ye	s(No) DQ	A: <u> </u>	Date: <	57/11/89
			QA:	N/C Close	d:		
		WORK OPPED HON CON	EODITALIO (110				

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section E	}	Verification	A1	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
							,	
			·					
		•						

NOTE: Date & initial all entries

Friday, 10/5/2007 10:58:52 AM Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: INNER AFT SADDLE

Job Number: 35036

Part Number: D5957

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

POWDER COATING

POWDER COATING



1 105914



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

421

7.0 QC3

INSPECT POWDER COATTEHEMICAL CONVERSIO



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

PACKAGING RESOURCE #1



8.0 PACKAGING 1

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

9.0 QC21



MAL INSPECTIONWIO RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



L Stilled

Dart Aerospace Ltd

W/O:		WORK ORDER C	HANGES			· · · · · · · · · · · · · · · · · · ·	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
		·					
•					:		
					-		
Part No) :	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	

QA: N/C Closed: _____ Date: ____

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	A	A
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
				•	-			
:								
				,				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	35036
Description: Inner Aft Saddle	Part Number:	D5957
Inspection Dwg: D5957 Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

				Re	corded Actu	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		.440	.439	. 439	139		
В	1.745	1.755		1.750	1.750	1-750	1.750		
С	5.245	5.255		5.250	5.240	5.250	5-250		471
D	6.995	7.005		7.000	7000	7-000	7.000		
E	5.745	5.755		5.750	5.750	5.750	5-750		
F	4.745	4.755	<u> </u>	4.750	4-150.	4-750	4-750		
G	0.315	0.322		-318	.318	1318	.318		
Н	1.522	1.532		1.527	1.527	1.527	1.527		_
<u> </u>	3.048	3.058		3.053	3.053	3.053	3.053		
J	4.575	4.585		4.580	4.580	4.580	4.580		
K	0.313	0.318		.318	.318	. 318	.318	,	
L	0.495	0.505		.500	.400	.500	.500		
M	0.490	0.510		, 4015	.505	,505	505		
N	1.865	1.885		1.475	1.875	1.775	1-875		
0	7.990	8.010	<u> </u>	8-001	84000	8.005	8.005		
P	2.240	2.260		7.250	2.250	7.220	2.250		
Q	0.307	0.312		,310	.510	.310	.310		
R	0.760	0.765		-765	-765	.764	.76-1		
S	0.490	0.510		.503	. 505	.505	. 505		
T	1.625	1.645		1.635	1-640	1.635	1-635		
Ü	2.000	2.020		2.000	2.000	7.003	2.003		
V	0.023	0.043		.033	-033	.033	.033		
w	0.020	0.010							
$\frac{\cdot \cdot}{X}$							<u> </u>		
Ŷ					,			-	
ż					· · · · · · · ·				
ĀĀ				-			-		-
AB									
AC				 	-		-		
AD				 					
AE								. +	_
AF					-				
AG AG				-					
AH							-		
МΠ	A = =	ept/Reje							

Measured by:	36	Audited by	ゴ.レ	
Date:	67.11.07	Date:	04/11	08

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686 & DT8696 A/B	KJ/RF	
С	06.11.20	Added dimension V	KJ/JLM	
۵	06.12.06	Dimensions L,N,P revised	KJ/EC 1,A	21
E	07.06.15	Dimension G revised	KJ/JLM	\J\!

DART AEROSPACE LTD	Work Order:	35036
Description: Inner Aft Saddle	Part Number:	D5957
Inspection Dwg: D5957 Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:


		-		Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
A	0.438	0.443		.439	. 139	. 439	.434	1	
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	5.245	5.255		5.250	5-250	5.250	5.250		
D	6.995	7.005		7-000	7.00c	7.000	7-000		
E	5.745	5.755		5-750	5-160	5.750	5.750		
F	4.745	4.755		4.750	4-750	4.750	4.750		
G	0.315	0.322		.319	.319	.319	. 519		_
Н	1.522	1.532		1.527	1.529	1.577	1.527		
1	3.048	3.058		3.053	3.053	3.053	3.053		
J	4.575	4.585	-	4.580	4-580	4.580	4.586		
K	0.313	0.318	-	. 318	. 318	.318	. 318		
L	0.495	0.505		.500	-500	.500	-500		
M	0.490	0.510		.503	,503	.503	. 503		
N	1.865	1.885		1.875	1-875	1.875	1-875		
0	7.990	8.010		8005	8,005	8005	8.005		
P	2.240	2.260		7.750	7.250	2.250	2250		
Q	0.307	0.312		.310	-710	.310	310		
R	0.760	0.765		.764	.764	.764	.764		
S	0.490	0.510		. 499	- 499	.501	-501		
T	1.625	1.645		1.643	1-643	1.643	1.643		
Ū	2.000	2.020		2.010	2-010	7.010	7.010		
V	0.023	0.043		.633	-633	.033	.033		
W	0.020	<u> </u>							
X			1800 - 180						
Ŷ				-	******			1	
Z									
AA						··········			
AB				-					
AC									
AD							-		
AE									
AF									,
AG								•	
AH									
<u> </u>	Δ	ept/Reje	ct	-					

Measured by:	36	Audited by	ブレー
Date:	07.11.07	Date:	8011170

·Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686 & DT8696 A/B	KJ/RF	
С	06.11.20	Added dimension V	KJ/JLM	
D	06.12.06	Dimensions L,N,P revised	KJ/EC LA	2/
E	07.06.15	Dimension G revised	KJ/JLM 🖏	



DRAWN BY DESIGN DART AEROSPACE LTD BW HAWKESBURY, ONTARIO, CANADA CHECKED APPROVE**D** DRAWING NO. REV. B D5957 SHEET 1 OF 1 DATE TITLE SCALE INNER AFT SADDLE 06.11.07 1:4 DATE DESCRIPTION REV



COPYRIGHT © 1997 BY DART AEROSPACE LTD

ISOMETRIC VIEW

POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3 B

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

5) BREAK ALL SHARP EDGES 0.010 TO 0.020